



# 12ga 2-3/4” NobelSport-Vectan Shotshell Load Data



*With three centuries of experience in making gunpowder, NOBELSPORT combines tradition and modernity. Its strong research and development team designs the powders of the future.*

Its site at Pont-de-Buis, recently remodeled and equipped with the most innovative manufacturing processes, can claim to be one of the leading industrial plants.

Boasting a new laboratory equipped with high tech analysis and testing resources, NOBELSPORT supplies powders with even further improved ballistic performances, stability and reproducibility.

## VECTAN POWDER - BEST USES

### VECTAN Prima SV, Prima V, GM3

- Single Base granulated powders
- Intended for Shotshell applications

Prima SV.....Ideal for 12ga 7/8 oz High Velocity,  
Low Pressure Target Loads

Prima V.....12ga 1 oz High Velocity Target  
Loads

GM3.....12ga 1-1/8 oz Heavy Target or  
Light Field Loads

### VECTAN AS, A0, A1, A24

- Single Base flake powders with color identification
- Developed for handgun and some rifle applications; but excels in 12ga shotgun applications as well

AS.....Best used in 12ga 1 oz Target  
Loads; Green/Red Flake

A0.....12ga Field Loads. Optimal for  
1-1/4 to 1-3/8 oz Green/Black Flake

A1.....12ga Heavy Target or Upland  
Loads. Green Flake

A24.....12ga 7/8 oz Light Target Loads.  
Red Flake

### VECTAN D20, 206V

- Single Base disc powders
- Intended for use in 12ga Target loads

D20.....12ga Heavy Target Loads

206V.....High Velocity, Low Pressure 12ga  
1 oz Target Loads.

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • Prima-SV Powder • Lead Shot • Fold Crimp</b>												
150811-7043	12	2.75	Remington STS	Rem209	PRIMA-SV	18.1	Claybuster 4100-12B	7/8 oz.	382	8800	1250	Fold
150811-7040	12	2.75	Remington STS	Rem209	PRIMA-SV	19.1	Claybuster 4100-12B	7/8 oz.	382	9500	1290	Fold
150811-7047	12	2.75	Winchester AA HS	Win209	PRIMA-SV	17.7	Winchester WAA12L	7/8 oz.	382	8900	1250	Fold
150803-7020	12	2.75	Winchester AA HS	Win209	PRIMA-SV	18.0	Winchester WAA12L	7/8 oz.	382	9200	1265	Fold
150803-7019	12	2.75	Winchester AA HS	Win209	PRIMA-SV	20.0	Remington TGT12	7/8 oz.	382	10500	1365	Fold
150803-7018	12	2.75	Winchester AA HS	Win209	PRIMA-SV	17.7	Claybuster 4100-12B	7/8 oz.	382	9000	1250	Fold
150811-7045	12	2.75	Winchester AA HS	Win209	PRIMA-SV	19.9	Claybuster 4100-12B	7/8 oz.	382	10400	1350	Fold

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • Prima-V Powder • Lead Shot • Fold Crimp</b>												
150330-6388	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.0	SuperSpark	3/4 oz.	328	8500	1275	Fold
150330-6389	12	2.75	Winchester AA HS	Win209	PRIMA-V	20.0	SuperSpark	3/4 oz.	328	8900	1350	Fold
150330-6390	12	2.75	Winchester AA HS	Win209	PRIMA-V	22.0	SuperSpark	3/4 oz.	328	9800	1450	Fold
150722-6964A	12	2.75	Remington STS	Rem209	PRIMA-V	18.3	L078 Lightning	7/8 oz.	382	9200	1250	Fold
150722-6962A	12	2.75	Remington STS	Rem209	PRIMA-V	19.6	L078 Lightning	7/8 oz.	382	9700	1300	Fold
150702-6752	12	2.75	Remington STS	Rem209	PRIMA-V	18.2	Remington TGT12	7/8 oz.	382	8100	1200	Fold
150713-6885A	12	2.75	Remington STS	Rem209	PRIMA-V	18.9	Remington TGT12	7/8 oz.	382	8900	1250	Fold
150702-6753	12	2.75	Remington STS	Rem209	PRIMA-V	19.8	Remington TGT12	7/8 oz.	382	9300	1300	Fold
150713-6886A	12	2.75	Remington STS	Rem209	PRIMA-V	20.7	Remington TGT12	7/8 oz.	382	9900	1350	Fold
150723-6969	12	2.75	Remington STS	Rem209	PRIMA-V	18.0	Winchester WAA12L	7/8 oz.	382	7800	1200	Fold
150715-6928A	12	2.75	Remington STS	Rem209	PRIMA-V	18.5	Winchester WAA12L	7/8 oz.	382	8400	1250	Fold
150723-6970	12	2.75	Remington STS	Rem209	PRIMA-V	19.8	Winchester WAA12L	7/8 oz.	382	9000	1300	Fold
150715-6927A	12	2.75	Remington STS	Rem209	PRIMA-V	20.5	Winchester WAA12L	7/8 oz.	382	9500	1350	Fold
150625-6681A	12	2.75	Remington STS	Rem209	PRIMA-V	18	Winchester WAA12SL	7/8 oz.	382	7900	1200	Fold
150702-6754A	12	2.75	Remington STS	Rem209	PRIMA-V	18.6	Winchester WAA12SL	7/8 oz.	382	8400	1250	Fold
150722-6963	12	2.75	Remington STS	Rem209	PRIMA-V	19.8	Winchester WAA12SL	7/8 oz.	382	8800	1300	Fold
150625-6682	12	2.75	Remington STS	Rem209	PRIMA-V	21.1	Winchester WAA12SL	7/8 oz.	382	9400	1350	Fold
150710-6861A	12	2.75	Winchester AA HS	Win209	PRIMA-V	17.3	L078 Lightning	7/8 oz.	382	8400	1200	Fold
150710-6862A	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.2	L078 Lightning	7/8 oz.	382	9000	1250	Fold
150330-6391A	12	2.75	Winchester AA HS	Win209	PRIMA-V	16.2	SuperSpark	7/8 oz.	382	8400	1150	Fold
150610-6609	12	2.75	Winchester AA HS	Win209	PRIMA-V	17.3	SuperSpark	7/8 oz.	382	9000	1200	Fold
150330-6392A	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.1	SuperSpark	7/8 oz.	382	9500	1250	Fold
150610-6610	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.2	SuperSpark	7/8 oz.	382	9600	1265	Fold
150701-6745	12	2.75	Winchester AA HS	Win209	PRIMA-V	19.1	SuperSpark	7/8 oz.	382	9800	1300	Fold
150701-6746A	12	2.75	Winchester AA HS	Win209	PRIMA-V	20.4	SuperSpark	7/8 oz.	382	10400	1350	Fold
150715-6932	12	2.75	Winchester AA HS	Win209	PRIMA-V	17.2	Remington TGT12	7/8 oz.	382	8200	1200	Fold
150701-6748A	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.4	Remington TGT12	7/8 oz.	382	8900	1250	Fold
150714-6904A	12	2.75	Winchester AA HS	Win209	PRIMA-V	19.3	Remington TGT12	7/8 oz.	382	9500	1300	Fold
150701-6749A	12	2.75	Winchester AA HS	Win209	PRIMA-V	20.7	Remington TGT12	7/8 oz.	382	10000	1350	Fold
150714-6906A	12	2.75	Winchester AA HS	Win209	PRIMA-V	17.2	Winchester WAA12L	7/8 oz.	382	8200	1200	Fold
150714-6905B	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.4	Winchester WAA12L	7/8 oz.	382	8700	1250	Fold
150714-6906B	12	2.75	Winchester AA HS	Win209	PRIMA-V	19.3	Winchester WAA12L	7/8 oz.	382	9300	1300	Fold
150714-6905A	12	2.75	Winchester AA HS	Win209	PRIMA-V	20.7	Winchester WAA12L	7/8 oz.	382	9800	1350	Fold

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • Prima-V Powder • Lead Shot • Fold Crimp (continued)</b>												
150709-6831	12	2.75	Winchester AA HS	Win209	PRIMA-V	17.5	Winchester WAA12SL	7/8 oz.	382	8200	1200	Fold
150612-6638	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.6	Winchester WAA12SL	7/8 oz.	382	8500	1250	Fold
150612-6638B	12	2.75	Winchester AA HS	Win209	PRIMA-V	19.4	Winchester WAA12SL	7/8 oz.	382	9200	1300	Fold
150605-6571	12	2.75	Winchester AA HS	Win209	PRIMA-V	21.1	Winchester WAA12SL	7/8 oz.	382	9700	1350	Fold
150526-6552	12	2.75	Winchester AA HS	Win209	PRIMA-V	22.0	Winchester WAA12SL	7/8 oz.	382	10100	1400	Fold
150720-6947	12	2.75	Federal Gold Medal	Fed209A	PRIMA-V	19.5	Federal 12S0	1 oz.	437	8700	1200	Fold
150702-6765	12	2.75	Federal Gold Medal	Fed209A	PRIMA-V	20.5	Federal 12S0	1 oz.	437	9200	1250	Fold
150610-6588	12	2.75	Remington STS	Rem209	PRIMA-V	19.0	Remington R12L	1 oz.	437	9100	1200	Fold
150720-6948	12	2.75	Remington STS	Rem209	PRIMA-V	20.0	Remington R12L	1 oz.	437	9700	1250	Fold
150612-6633	12	2.75	Remington STS	Rem209	PRIMA-V	21.3	Remington R12L	1 oz.	437	10500	1300	Fold
150702-6757	12	2.75	Remington STS	Rem209	PRIMA-V	19.0	Remington RXP12	1 oz.	437	9100	1200	Fold
150720-6949B	12	2.75	Remington STS	Rem209	PRIMA-V	20.0	Remington RXP12	1 oz.	437	9700	1250	Fold
150702-6758	12	2.75	Remington STS	Rem209	PRIMA-V	21.5	Remington RXP12	1 oz.	437	10200	1300	Fold
150702-6759A	12	2.75	Remington STS	Rem209	PRIMA-V	19.0	Remington TGT12	1 oz.	437	9300	1200	Fold
150713-6881B	12	2.75	Remington STS	Rem209	PRIMA-V	20.1	Remington TGT12	1 oz.	437	10000	1250	Fold
150702-6760	12	2.75	Remington STS	Rem209	PRIMA-V	21.2	Remington TGT12	1 oz.	437	10500	1300	Fold
150702-6756	12	2.75	Remington STS	Rem209	PRIMA-V	20.1	Winchester WAA12SL	1 oz.	437	9500	1250	Fold
150720-6946	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.3	Remington FIG8	1 oz.	437	9300	1200	Fold
150720-6945	12	2.75	Winchester AA HS	Win209	PRIMA-V	19.7	Remington FIG8	1 oz.	437	9900	1250	Fold
150706-6772A	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.4	Remington RXP12	1 oz.	437	9500	1200	Fold
150715-6925A	12	2.75	Winchester AA HS	Win209	PRIMA-V	19.4	Remington RXP12	1 oz.	437	10400	1250	Fold
150709-6836	12	2.75	Winchester AA HS	Win209	PRIMA-V	20.6	Remington RXP12	1 oz.	437	11000	1300	Fold
150330-6394	12	2.75	Winchester AA HS	Win209	PRIMA-V	16.1	Short Range Crusher	1 oz.	437	8900	1100	Fold
150709-6833	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.2	Winchester WAA12SL	1 oz.	437	9200	1200	Fold
150706-6773	12	2.75	Winchester AA HS	Win209	PRIMA-V	19.5	Winchester WAA12SL	1 oz.	437	9900	1250	Fold
150706-6774	12	2.75	Winchester AA HS	Win209	PRIMA-V	20.4	Winchester WAA12SL	1 oz.	437	10200	1285	Fold
150706-6774A	12	2.75	Winchester AA HS	Win209	PRIMA-V	20.8	Winchester WAA12SL	1 oz.	437	10400	1300	Fold
150622-6669	12	2.75	Cheddite	Ched209	PRIMA-V	21.0	Federal 12S0	1 1/8 oz.	492	9500	1200	Fold
150622-6670	12	2.75	Cheddite	Ched209	PRIMA-V	22.0	Federal 12S0	1 1/8 oz.	492	10100	1250	Fold
150706-6793	12	2.75	Cheddite	Ched209	PRIMA-V	23.0	Federal 12S0	1 1/8 oz.	492	10900	1300	Fold
150504-6485	12	2.75	Federal Gold Medal	Fed209A	PRIMA-V	20.0	Federal 12S0	1 1/8 oz.	492	10000	1185	Fold
150605-6568	12	2.75	Federal Gold Medal	Fed209A	PRIMA-V	21.0	Federal 12S0	1 1/8 oz.	492	10500	1230	Fold
150330-6395A	12	2.75	Winchester AA HS	Win209	PRIMA-V	15.9	Helix Cushion Driver 21	1 1/8 oz.	492	9000	1050	Fold

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • Prima-V Powder • Lead Shot • Fold Crimp (continued)</b>												
150605-6569A	12	2.75	Winchester AA HS	Win209	PRIMA-V	18.0	Winchester WAA12	1 1/8 oz.	492	10000	1150	Fold
150605-6570	12	2.75	Winchester AA HS	Win209	PRIMA-V	19.1	Winchester WAA12	1 1/8 oz.	492	10700	1200	Fold
150408-6423B	12	2.75	Winchester AA HS	Win209	PRIMA-V	19.4	Winchester WAA12	1 1/8 oz.	492	10900	1230	Fold

**WARNING: BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".**

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • GM3 Powder • Lead Shot • Fold Crimp</b>												
150714-6908A	12	2.75	Winchester AA HS	Win209	GM3	18.4	Winchester WAA12SL	7/8 oz.	382	7700	1200	Fold
150612-6645	12	2.75	Winchester AA HS	Win209	GM3	19.2	Winchester WAA12SL	7/8 oz.	382	8000	1250	Fold
150701-6741	12	2.75	Winchester AA HS	Win209	GM3	20.4	Winchester WAA12SL	7/8 oz.	382	8500	1300	Fold
150612-6646	12	2.75	Winchester AA HS	Win209	GM3	21.6	Winchester WAA12SL	7/8 oz.	382	9100	1350	Fold
150615-6639	12	2.75	Federal Gold Medal	Fed209A	GM3	19.6	Federal 1250	1 oz.	437	8600	1200	Fold
150625-6688	12	2.75	Federal Gold Medal	Fed209A	GM3	20.4	Federal 1250	1 oz.	437	9200	1250	Fold
150625-6687	12	2.75	Federal Gold Medal	Fed209A	GM3	21.6	Federal 1250	1 oz.	437	9900	1300	Fold
150720-6957A	12	2.75	Federal Gold Medal	Fed209A	GM3	19.7	Remington TGT12	1 oz.	437	8500	1200	Fold
150709-6806A	12	2.75	Federal Gold Medal	Fed209A	GM3	20.8	Remington TGT12	1 oz.	437	9300	1250	Fold
150427-6462	12	2.75	Remington STS	Rem209	GM3	18.1	Claybuster 4100-12B	1 oz.	437	7800	1130	Fold
150427-6463L	12	2.75	Remington STS	Rem209	GM3	19.4	Claybuster 4100-12B	1 oz.	437	8800	1200	Fold
150615-6640	12	2.75	Remington STS	Rem209	GM3	20.4	Claybuster 4100-12B	1 oz.	437	9400	1250	Fold
15073-6879A	12	2.75	Remington STS	Rem209	GM3	18.6	Remington R12L	1 oz.	437	8200	1150	Fold
150610-6591A	12	2.75	Remington STS	Rem209	GM3	19.5	Remington R12L	1 oz.	437	8600	1200	Fold
150610-6593	12	2.75	Remington STS	Rem209	GM3	20.5	Remington R12L	1 oz.	437	9100	1250	Fold
150720-6956	12	2.75	Remington STS	Rem209	GM3	21.5	Remington R12L	1 oz.	437	9900	1300	Fold
150526-6549	12	2.75	Remington STS	Rem209	GM3	18.5	Winchester WAA12SL	1 oz.	437	7800	1135	Fold
150526-6550A	12	2.75	Remington STS	Rem209	GM3	19.5	Winchester WAA12SL	1 oz.	437	8600	1200	Fold
150713-6878	12	2.75	Remington STS	Rem209	GM3	20.5	Winchester WAA12SL	1 oz.	437	9000	1250	Fold
150720-6955B	12	2.75	Remington STS	Rem209	GM3	21.5	Winchester WAA12SL	1 oz.	437	9800	1300	Fold
150728-6998	12	2.75	Remington STS	Rem209	GM3	20.3	Remington TGT12	1 oz.	437	9600	1250	Fold
150427-6460L	12	2.75	Winchester AA HS	Win209	GM3	19.5	Claybuster 4100-12B	1 oz.	437	8900	1200	Fold
150720-6959	12	2.75	Winchester AA HS	Win209	GM3	20.5	Claybuster 4100-12B	1 oz.	437	9300	1250	Fold
150625-6697A	12	2.75	Winchester AA HS	Win209	GM3	21.9	Claybuster 4100-12B	1 oz.	437	11000	1350	Fold
150702-6776	12	2.75	Winchester AA HS	Win209	GM3	18.4	Remington TGT12	1 oz.	437	8700	1175	Fold
150702-6776B	12	2.75	Winchester AA HS	Win209	GM3	18.7	Remington TGT12	1 oz.	437	9200	1200	Fold
150625-6696A	12	2.75	Winchester AA HS	Win209	GM3	19.4	Remington TGT12	1 oz.	437	9900	1250	Fold
150408-6420	12	2.75	Winchester AA HS	Win209	GM3	18.0	Winchester WAA12	1 oz.	437	8500	1150	Fold
150408-6418	12	2.75	Winchester AA HS	Win209	GM3	19.2	Winchester WAA12	1 oz.	437	9200	1200	Fold
150331-6397A	12	2.75	Winchester AA HS	Win209	GM3	20.2	Winchester WAA12	1 oz.	437	9400	1250	Fold
150331-6398A	12	2.75	Winchester AA HS	Win209	GM3	21.8	Winchester WAA12	1 oz.	437	10300	1300	Fold
150622-6671A	12	2.75	Cheddite	Ched209	GM3	20.9	Federal 1250	1 1/8 oz.	492	7400	1105	Fold
150526-6546	12	2.75	Cheddite	Ched209	GM3	22.0	Federal 1250	1 1/8 oz.	492	9000	1200	Fold

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • GM3 Powder • Lead Shot • Fold Crimp (continued)</b>												
150713-6873	12	2.75	Cheddite	Ched209	GM3	23.1	Federal 1250	1 1/8 oz.	492	9500	1250	Fold
150526-6547	12	2.75	Cheddite	Ched209	GM3	24.0	Federal 1250	1 1/8 oz.	492	10300	1300	Fold
150504-6486	12	2.75	Federal Field	Fed209A	GM3	20.0	Federal 1250	1 1/8 oz.	492	7000	1080	Fold
150713-6874A	12	2.75	Federal Gold Medal	Fed209A	GM3	20.5	Competition Special	1 1/8 oz.	492	10200	1200	Fold
150713-6874	12	2.75	Federal Gold Medal	Fed209A	GM3	20.6	Competition Special	1 1/8 oz.	492	10300	1215	Fold
150701-6739	12	2.75	Federal Gold Medal	Fed209A	GM3	20.5	Federal 1253	1 1/8 oz.	492	9400	1185	Fold
150701-6740	12	2.75	Federal Gold Medal	Fed209A	GM3	21.0	Federal 1253	1 1/8 oz.	492	10300	1220	Fold
150709-6805	12	2.75	Federal Gold Medal	Fed209A	GM3	20.5	Helix Cushion Driver 24	1 1/8 oz.	492	10700	1225	Fold
150629-6719	12	2.75	Remington STS	Rem209	GM3	20.5	Claybuster CB4118-12	1 1/8 oz.	492	9500	1200	Fold
150630-6713A	12	2.75	Remington STS	Rem209	GM3	20.1	Remington FIG8	1 1/8 oz.	492	9800	1200	Fold
150713-6876A	12	2.75	Remington STS	Rem209	GM3	20.3	Winchester WAA12	1 1/8 oz.	492	9900	1200	Fold
150713-6876	12	2.75	Remington STS	Rem209	GM3	20.5	Winchester WAA12	1 1/8 oz.	492	10100	1220	Fold
150714-6899	12	2.75	Remington STS	Rem209	GM3	21.1	Winchester WAA12	1 1/8 oz.	492	10700	1250	Fold
150713-6877	12	2.75	Remington STS	Rem209	GM3	21.4	Winchester WAA12	1 1/8 oz.	492	11000	1270	Fold
150408-6419	12	2.75	Winchester AA HS	Win209	GM3	17.0	Winchester WAA12	1 1/8 oz.	492	8900	1085	Fold
150331-6399	12	2.75	Winchester AA HS	Win209	GM3	20.0	Winchester WAA12	1 1/8 oz.	492	10400	1200	Fold
150504-6490	12	2.75	Winchester AA HS	Win209	GM3	21.0	Winchester WAA12	1 1/8 oz.	492	11000	1250	Fold
150629-6718A	12	2.75	Winchester AA HS	Win209	GM3	19.9	Claybuster CB4118-12	1 1/8 oz.	492	9600	1200	Fold
150709-6837	12	2.75	Winchester AA HS	Win209	GM3	21.0	Claybuster CB4118-12	1 1/8 oz.	492	10200	1235	Fold
150710-6863	12	2.75	Winchester AA HS	Win209	GM3	19.8	Helix Cushion Driver 18	1 1/8 oz.	492	10400	1200	Fold

WARNING: BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • AS Powder • Lead Shot • Fold Crimp</b>												
150720-6941	12	2.75	Federal Gold Medal	Fed209A	AS	19.2	Claybuster 4100-12B	7/8 oz.	382	7200	1200	Fold
150720-6944	12	2.75	Federal Gold Medal	Fed209A	AS	17.5	Federal 1250	7/8 oz.	382	7200	1150	Fold
150720-6943	12	2.75	Federal Gold Medal	Fed209A	AS	19.1	Federal 1250	7/8 oz.	382	8000	1250	Fold
150715-6931	12	2.75	Remington STS	Rem209	AS	16.9	Federal 1250	7/8 oz.	382	8000	1200	Fold
150710-6843A	12	2.75	Remington STS	Rem209	AS	18.1	Federal 1250	7/8 oz.	382	8700	1250	Fold
150715-6930	12	2.75	Remington STS	Rem209	AS	19.2	Federal 1250	7/8 oz.	382	9200	1300	Fold
150706-6783	12	2.75	Remington STS	Rem209	AS	20.3	Federal 1250	7/8 oz.	382	10300	1350	Fold
150710-6841	12	2.75	Remington STS	Rem209	AS	16.8	L078 Lightning	7/8 oz.	382	8800	1200	Fold
150706-6784	12	2.75	Remington STS	Rem209	AS	18.0	L078 Lightning	7/8 oz.	382	9100	1250	Fold
150713-6887	12	2.75	Remington STS	Rem209	AS	19.1	L078 Lightning	7/8 oz.	382	9400	1300	Fold
150706-6785	12	2.75	Remington STS	Rem209	AS	20.4	L078 Lightning	7/8 oz.	382	10400	1350	Fold
150706-6787	12	2.75	Remington STS	Rem209	AS	16.8	Remington TGT12	7/8 oz.	382	8000	1185	Fold
150706-6787B	12	2.75	Remington STS	Rem209	AS	17.0	Remington TGT12	7/8 oz.	382	8200	1200	Fold
150710-6842	12	2.75	Remington STS	Rem209	AS	18.2	Remington TGT12	7/8 oz.	382	8800	1250	Fold
150714-6909A	12	2.75	Remington STS	Rem209	AS	19.2	Remington TGT12	7/8 oz.	382	9400	1300	Fold
150710-6840	12	2.75	Remington STS	Rem209	AS	20.3	Remington TGT12	7/8 oz.	382	10200	1350	Fold
150715-6929	12	2.75	Remington STS	Rem209	AS	17.2	Winchester WAA12L	7/8 oz.	382	7800	1200	Fold
150710-6844A	12	2.75	Remington STS	Rem209	AS	18.4	Winchester WAA12L	7/8 oz.	382	8400	1250	Fold
150714-6910A	12	2.75	Remington STS	Rem209	AS	19.5	Winchester WAA12L	7/8 oz.	382	8900	1300	Fold
150619-6654A	12	2.75	Remington STS	Rem209	AS	20.9	Winchester WAA12L	7/8 oz.	382	9800	1350	Fold
150710-6856A	12	2.75	Winchester AA HS	Win209	AS	17.4	L078 Lightning	7/8 oz.	382	8400	1200	Fold
150714-6907	12	2.75	Winchester AA HS	Win209	AS	18.2	L078 Lightning	7/8 oz.	382	8900	1250	Fold
150701-6744	12	2.75	Winchester AA HS	Win209	AS	16.8	Remington TGT12	7/8 oz.	382	8300	1200	Fold
150612-6643A	12	2.75	Winchester AA HS	Win209	AS	17.2	Remington TGT12	7/8 oz.	382	8700	1225	Fold
150428-6469A	12	2.75	Winchester AA HS	Win209	AS	17.9	Remington TGT12	7/8 oz.	382	8900	1250	Fold
150612-6644	12	2.75	Winchester AA HS	Win209	AS	19.0	Remington TGT12	7/8 oz.	382	9300	1300	Fold
150610-6603	12	2.75	Winchester AA HS	Win209	AS	20.0	Remington TGT12	7/8 oz.	382	10200	1350	Fold
150709-6823	12	2.75	Winchester AA HS	Win209	AS	17.1	Winchester WAA12L	7/8 oz.	382	8100	1200	Fold
150709-6823B	12	2.75	Winchester AA HS	Win209	AS	18.0	Winchester WAA12L	7/8 oz.	382	8700	1250	Fold
150615-6649A	12	2.75	Winchester AA HS	Win209	AS	19.1	Winchester WAA12L	7/8 oz.	382	9100	1300	Fold
150701-6743A	12	2.75	Winchester AA HS	Win209	AS	20.1	Winchester WAA12L	7/8 oz.	382	9700	1350	Fold
150520-6539A	12	2.75	Winchester AA HS	Win209	AS	15.9	Winchester WAA12SL	7/8 oz.	382	7400	1100	Fold
150714-6903A	12	2.75	Winchester AA HS	Win209	AS	17.4	Winchester WAA12SL	7/8 oz.	382	8200	1200	Fold



Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • AS Powder • Lead Shot • Fold Crimp (continued)</b>												
150701-6750A	12	2.75	Winchester AA HS	Win209	AS	18.4	Winchester WAA12SL	7/8 oz.	382	8600	1250	Fold
150615-6641	12	2.75	Winchester AA HS	Win209	AS	19.0	Winchester WAA12SL	7/8 oz.	382	9100	1300	Fold
150701-6742A	12	2.75	Winchester AA HS	Win209	AS	20.3	Winchester WAA12SL	7/8 oz.	382	9700	1350	Fold
150702-6768A	12	2.75	Federal Gold Medal	Fed209A	AS	17.8	Federal 1250	1 oz.	437	8200	1160	Fold
150709-6809	12	2.75	Federal Gold Medal	Fed209A	AS	19.1	Federal 1250	1 oz.	437	9500	1235	Fold
150720-6942B	12	2.75	Federal Gold Medal	Fed209A	AS	19.3	Federal 1250	1 oz.	437	9700	1250	Fold
150715-6933	12	2.75	Federal Gold Medal	Fed209A	AS	20.3	Federal 1250	1 oz.	437	10500	1300	Fold
150625-6685A	12	2.75	Federal Gold Medal	Fed209A	AS	18.1	Remington TGT12	1 oz.	437	9400	1200	Fold
150625-6686A	12	2.75	Federal Gold Medal	Fed209A	AS	19.1	Remington TGT12	1 oz.	437	10000	1250	Fold
150709-6808	12	2.75	Federal Gold Medal	Fed209A	AS	20.2	Remington TGT12	1 oz.	437	10800	1300	Fold
150612-6635	12	2.75	Remington STS	Rem209	AS	17.7	Remington RXP12	1 oz.	437	9700	1200	Fold
150610-6601	12	2.75	Remington STS	Rem209	AS	18.0	Remington RXP12	1 oz.	437	10000	1220	Fold
150428-6467	12	2.75	Remington STS	Rem209	AS	19.0	Remington RXP12	1 oz.	437	10600	1250	Fold
150626-6684A	12	2.75	Remington STS	Rem209	AS	20.1	Remington RXP12	1 oz.	437	11000	1285	Fold
150720-6936	12	2.75	Remington STS	Rem209	AS	19.2	Remington TGT12	1 oz.	437	9500	1225	Fold
150709-6821A	12	2.75	Winchester AA HS	Win209	AS	18.0	Remington RXP12	1 oz.	437	9400	1200	Fold
150720-6939A	12	2.75	Winchester AA HS	Win209	AS	19.5	Remington RXP12	1 oz.	437	9800	1250	Fold
150722-6965A	12	2.75	Winchester AA HS	Win209	AS	18.1	Remington TGT12	1 oz.	437	9500	1200	Fold
150722-6966A	12	2.75	Winchester AA HS	Win209	AS	20.5	Remington TGT12	1 oz.	437	10900	1300	Fold
150706-6770A	12	2.75	Winchester AA HS	Win209	AS	18.1	Winchester WAA12SL	1 oz.	437	9200	1200	Fold
150715-6926A	12	2.75	Winchester AA HS	Win209	AS	19.2	Winchester WAA12SL	1 oz.	437	10100	1250	Fold
150709-6820	12	2.75	Winchester AA HS	Win209	AS	20.6	Winchester WAA12SL	1 oz.	437	10700	1300	Fold

**WARNING: BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".**

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • A0 Powder • Lead Shot • Fold Crimp</b>												
150504-6484	12	2.75	Federal Gold Medal	Fed209A	A0	24.0	Federal 12S0	1 1/8 oz.	492	8800	1200	Fold
150408-6422	12	2.75	Winchester AA HS	Win209	A0	23.5	Winchester WAA12	1 1/8 oz.	492	8500	1175	Fold
150401-6409L	12	2.75	Winchester AA HS	Win209	A0	23.7	Winchester WAA12	1 1/8 oz.	492	8700	1200	Fold
150630-6732A	12	2.75	Winchester AA HS	Win209	A0	25.4	Winchester WAA12	1 1/8 oz.	492	9200	1250	Fold
150401-6410	12	2.75	Winchester AA HS	Win209	A0	26.0	Winchester WAA12	1 1/8 oz.	492	9600	1285	Fold

**WARNING: BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".**

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • A1 Powder • Lead Shot • Fold Crimp</b>												
150706-6799	12	2.75	Cheddite	Ched209	A1	20.0	Competition Special	1 1/8 oz.	492	7200	1035	Fold
150706-6798	12	2.75	Cheddite	Ched209	A1	21.0	Competition Special	1 1/8 oz.	492	7500	1075	Fold
150706-6796	12	2.75	Cheddite	Ched209	A1	23.0	Competition Special	1 1/8 oz.	492	8100	1175	Fold
150713-6870	12	2.75	Cheddite	Ched209	A1	23.5	Competition Special	1 1/8 oz.	492	9100	1235	Fold
150706-6795	12	2.75	Cheddite	Ched209	A1	22.5	Federal 12S3	1 1/8 oz.	492	8400	1185	Fold
150706-6795A	12	2.75	Cheddite	Ched209	A1	22.8	Federal 12S3	1 1/8 oz.	492	8500	1200	Fold
150706-6789	12	2.75	Cheddite	Ched209	A1	24.1	Federal 12S3	1 1/8 oz.	492	9100	1250	Fold
150713-6872A	12	2.75	Cheddite	Ched209	A1	25.2	Federal 12S3	1 1/8 oz.	492	10100	1300	Fold
150713-6872	12	2.75	Cheddite	Ched209	A1	25.4	Federal 12S3	1 1/8 oz.	492	10300	1320	Fold
150713-6869	12	2.75	Cheddite	Ched209	A1	23.0	Remington FIG8	1 1/8 oz.	492	8400	1200	Fold
150713-6871	12	2.75	Cheddite	Ched209	A1	24.2	Helix Cushion Driver 24	1 1/8 oz.	492	9000	1250	Fold
150706-6790	12	2.75	Cheddite	Ched209	A1	22.8	Remington TGT12	1 1/8 oz.	492	7800	1150	Fold
150710-6855	12	2.75	Cheddite	Ched209	A1	23.5	Remington TGT12	1 1/8 oz.	492	8300	1200	Fold
150430-6473	12	2.75	Federal Field	Fed209A	A1	20.0	Federal 12S3	1 1/8 oz.	492	9100	1155	Fold
150622-6663	12	2.75	Federal Gold Medal	Fed209A	A1	21.5	Federal 12S0	1 1/8 oz.	492	9100	1180	Fold
150622-6663B	12	2.75	Federal Gold Medal	Fed209A	A1	21.7	Federal 12S0	1 1/8 oz.	492	9200	1200	Fold
150619-6651A	12	2.75	Federal Gold Medal	Fed209A	A1	22.0	Federal 12S0	1 1/8 oz.	492	9400	1220	Fold
150701-6736	12	2.75	Federal Gold Medal	Fed209A	A1	21.7	Federal 12S3	1 1/8 oz.	492	9000	1200	Fold
150520-6538	12	2.75	Federal Gold Medal	Fed209A	A1	22.6	Remington RXP12	1 1/8 oz.	492	10100	1250	Fold
150701-6733	12	2.75	Federal Gold Medal	Fed209A	A1	21.8	Remington TGT12	1 1/8 oz.	492	8900	1200	Fold
150709-6817	12	2.75	Federal Gold Medal	Fed209A	A1	23.5	Remington TGT12	1 1/8 oz.	492	10800	1300	Fold
150710-6848	12	2.75	Remington STS	Rem209	A1	22.5	Claybuster CB4118-12	1 1/8 oz.	492	9900	1250	Fold
150622-6666	12	2.75	Remington STS	Rem209	A1	21.0	Remington R12L	1 1/8 oz.	492	8900	1165	Fold
150622-6667B	12	2.75	Remington STS	Rem209	A1	21.7	Remington R12L	1 1/8 oz.	492	9500	1200	Fold
150622-6667	12	2.75	Remington STS	Rem209	A1	22.0	Remington R12L	1 1/8 oz.	492	9700	1220	Fold
150710-6847A	12	2.75	Remington STS	Rem209	A1	22.7	Remington R12L	1 1/8 oz.	492	9900	1250	Fold
150430-6472	12	2.75	Remington STS	Rem209	A1	18.0	Remington RXP12	1 1/8 oz.	492	8200	1055	Fold
150629-6723	12	2.75	Remington STS	Rem209	A1	20.5	Remington RXP12	1 1/8 oz.	492	9000	1160	Fold
150629-6724	12	2.75	Remington STS	Rem209	A1	21.3	Remington RXP12	1 1/8 oz.	492	9500	1200	Fold
150710-6849A	12	2.75	Remington STS	Rem209	A1	22.2	Remington RXP12	1 1/8 oz.	492	10400	1250	Fold
150629-6704	12	2.75	Remington STS	Rem209	A1	21.5	Winchester WAA12	1 1/8 oz.	492	9300	1200	Fold
150520-6536	12	2.75	Remington STS	Rem209	A1	22.5	Winchester WAA12	1 1/8 oz.	492	10400	1250	Fold
150630-6730B	12	2.75	Winchester AA HS	Win209	A1	21.0	Federal 12S3	1 1/8 oz.	492	9700	1200	Fold

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • A1 Powder • Lead Shot • Fold Crimp (continued)</b>												
150630-6730	12	2.75	Winchester AA HS	Win209	A1	22.0	Federal 12S3	1 1/8 oz.	492	10500	1250	Fold
150720-6961	12	2.75	Winchester AA HS	Win209	A1	21.2	Remington FIG8	1 1/8 oz.	492	9400	1200	Fold
150629-6722	12	2.75	Winchester AA HS	Win209	A1	22.2	Remington RXP12	1 1/8 oz.	492	9900	1225	Fold
150629-6705A	12	2.75	Winchester AA HS	Win209	A1	21.1	Winchester WAA12	1 1/8 oz.	492	9500	1200	Fold
150629-6706	12	2.75	Winchester AA HS	Win209	A1	22.5	Winchester WAA12	1 1/8 oz.	492	10200	1250	Fold

**WARNING: BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".**

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • A24 Powder • Lead Shot • Fold Crimp</b>												
150811-7046	12	2.75	Winchester AA HS	Win209	A24	18.0	Winchester WAA12L	7/8 oz.	382	10200	1300	Fold
150803-7017	12	2.75	Winchester AA HS	Win209	A24	18.5	Winchester WAA12L	7/8 oz.	382	10800	1325	Fold
150811-7044	12	2.75	Winchester AA HS	Win209	A24	18.9	Winchester WAA12L	7/8 oz.	382	11000	1350	Fold
150803-7016	12	2.75	Winchester AA HS	Win209	A24	17.1	Claybuster 4100-12B	7/8 oz.	382	10000	1265	Fold
150811-7048	12	2.75	Winchester AA HS	Win209	A24	17.9	Claybuster 4100-12B	7/8 oz.	382	10300	1300	Fold

**WARNING: BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".**

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • D20 Powder • Lead Shot • Fold Crimp</b>												
150504-6489	12	2.75	Federal Field	Fed209A	D20	21.0	Federal 12S0	1 oz.	437	7800	1185	Fold
150625-6691	12	2.75	Federal Gold Medal	Fed209A	D20	19.2	Federal 12S0	1 oz.	437	8400	1185	Fold
150625-6691B	12	2.75	Federal Gold Medal	Fed209A	D20	19.4	Federal 12S0	1 oz.	437	8500	1200	Fold
150610-6605	12	2.75	Federal Gold Medal	Fed209A	D20	21.2	Federal 12S0	1 oz.	437	9200	1250	Fold
150625-6692	12	2.75	Federal Gold Medal	Fed209A	D20	22.1	Federal 12S0	1 oz.	437	10000	1300	Fold
150504-6488	12	2.75	Federal Gold Medal	Fed209A	D20	23.0	Federal 12S0	1 oz.	437	10500	1340	Fold
150610-6606A	12	2.75	Federal Gold Medal	Fed209A	D20	23.2	Federal 12S0	1 oz.	437	10600	1350	Fold
150709-6811B	12	2.75	Federal Gold Medal	Fed209A	D20	19.6	Remington TGT12	1 oz.	437	8600	1200	Fold
150709-6811	12	2.75	Federal Gold Medal	Fed209A	D20	19.8	Remington TGT12	1 oz.	437	8700	1220	Fold
150720-6954	12	2.75	Federal Gold Medal	Fed209A	D20	21.4	Remington TGT12	1 oz.	437	9100	1250	Fold
150702-6764	12	2.75	Remington STS	Rem209	D20	22.5	Remington FIG8	1 oz.	437	9300	1300	Fold
150501-6474	12	2.75	Remington STS	Rem209	D20	20.0	Remington R12L	1 oz.	437	8200	1175	Fold
150501-6475L	12	2.75	Remington STS	Rem209	D20	20.3	Remington R12L	1 oz.	437	8500	1200	Fold
150702-6761B	12	2.75	Remington STS	Rem209	D20	21.5	Remington R12L	1 oz.	437	9000	1250	Fold
150501-6475	12	2.75	Remington STS	Rem209	D20	22.0	Remington R12L	1 oz.	437	9500	1280	Fold
150612-6632B	12	2.75	Remington STS	Rem209	D20	22.4	Remington R12L	1 oz.	437	9800	1300	Fold
150702-6762	12	2.75	Remington STS	Rem209	D20	20.5	Remington TGT12	1 oz.	437	8400	1215	Fold
150715-6916A	12	2.75	Remington STS	Rem209	D20	21.4	Remington TGT12	1 oz.	437	8800	1250	Fold
150720-6951	12	2.75	Winchester AA HS	Win209	D20	19.6	Remington FIG8	1 oz	437	8500	1200	Fold
150706-6777	12	2.75	Winchester AA HS	Win209	D20	20.0	Remington FIG8	1 oz	437	8800	1225	Fold
150625-6694A	12	2.75	Winchester AA HS	Win209	D20	20.4	Remington FIG8	1 oz	437	9200	1250	Fold
150723-6974	12	2.75	Winchester AA HS	Win209	D20	21.3	Remington FIG8	1 oz	437	10000	1300	Fold
150709-6825	12	2.75	Winchester AA HS	Win209	D20	19.7	Remington RXP12	1 oz	437	8500	1200	Fold
150706-6779A	12	2.75	Winchester AA HS	Win209	D20	20.1	Remington RXP12	1 oz	437	8800	1220	Fold
150720-6952A	12	2.75	Winchester AA HS	Win209	D20	20.7	Remington RXP12	1 oz	437	9100	1250	Fold
150706-6780	12	2.75	Winchester AA HS	Win209	D20	21.5	Remington RXP12	1 oz	437	9900	1300	Fold
150709-6826	12	2.75	Winchester AA HS	Win209	D20	19.5	Remington TGT12	1 oz	437	8500	1200	Fold
150706-6778	12	2.75	Winchester AA HS	Win209	D20	20.0	Remington TGT12	1 oz	437	8900	1225	Fold
150720-6950	12	2.75	Winchester AA HS	Win209	D20	20.5	Remington TGT12	1 oz	437	9200	1250	Fold
150709-6827	12	2.75	Winchester AA HS	Win209	D20	21.3	Remington TGT12	1 oz	437	9700	1275	Fold
150706-6792	12	2.75	Cheddite	Ched209	D20	22.1	Remington TGT12	1 1/8 oz.	492	9000	1225	Fold
150713-6866A	12	2.75	Cheddite	Ched209	D20	22.8	Remington TGT12	1 1/8 oz.	492	9300	1250	Fold
150706-6791	12	2.75	Cheddite	Ched209	D20	23.8	Remington TGT12	1 1/8 oz.	492	10200	1300	Fold
150622-6676A	12	2.75	Cheddite	Ched209	D20	23.0	Federal 12S0	1 1/8 oz.	492	8200	1250	Fold

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • D20 Powder • Lead Shot • Fold Crimp (continued)</b>												
150622-6676B	12	2.75	Cheddite	Ched209	D20	24.1	Federal 12S0	1 1/8 oz.	492	9800	1300	Fold
150501-6481	12	2.75	Cheddite	Ched209	D20	20.0	Helix Cushion Driver 24	1 1/8 oz.	492	7500	1100	Fold
150501-6482B	12	2.75	Cheddite	Ched209	D20	21.8	Short Range Crusher	1 1/8 oz.	492	9000	1200	Fold
150501-6482	12	2.75	Cheddite	Ched209	D20	22.0	Short Range Crusher	1 1/8 oz.	492	9100	1215	Fold
150713-6868	12	2.75	Cheddite	Ched209	D20	22.8	Short Range Crusher	1 1/8 oz.	492	9500	1250	Fold
150710-6860	12	2.75	Cheddite	Ched209	D20	23.4	Short Range Crusher	1 1/8 oz.	492	10200	1275	Fold
150501-6480	12	2.75	Cheddite	Ched209	D20	20.0	Z21 Trap Commander	1 1/8 oz.	492	7900	1125	Fold
150501-6483	12	2.75	Cheddite	Ched209	D20	21.9	Z21 Trap Commander	1 1/8 oz.	492	8800	1200	Fold
150710-6859A	12	2.75	Cheddite	Ched209	D20	22.7	Z21 Trap Commander	1 1/8 oz.	492	9600	1250	Fold
150610-6607	12	2.75	Cheddite	Ched209	D20	23.5	Z21 Trap Commander	1 1/8 oz.	492	10500	1300	Fold
150504-6487	12	2.75	Federal Gold Medal	Fed209A	D20	20.0	Federal 12S0	1 1/8 oz.	492	9200	1160	Fold
150630-6725	12	2.75	Federal Gold Medal	Fed209A	D20	20.8	Federal 12S3	1 1/8 oz.	492	9700	1200	Fold
150630-6726	12	2.75	Federal Gold Medal	Fed209A	D20	22.0	Federal 12S3	1 1/8 oz.	492	10500	1250	Fold
150630-6727A	12	2.75	Federal Gold Medal	Fed209A	D20	22.4	Remington FIG8	1 1/8 oz.	492	10200	1250	Fold
150701-6738	12	2.75	Federal Gold Medal	Fed209A	D20	20.8	Remington TGT12	1 1/8 oz.	492	9200	1200	Fold
150629-6708	12	2.75	Federal Gold Medal	Fed209A	D20	21.0	Winchester WAA12	1 1/8 oz.	492	9300	1200	Fold
150629-6707	12	2.75	Federal Gold Medal	Fed209A	D20	22.5	Winchester WAA12	1 1/8 oz.	492	10600	1275	Fold
150501-6479	12	2.75	Remington STS	Rem209	D20	18.0	Remington R12L	1 1/8 oz.	492	8600	1100	Fold
150622-6665A	12	2.75	Remington STS	Rem209	D20	20.4	Remington R12L	1 1/8 oz.	492	9400	1200	Fold
150715-6917	12	2.75	Remington STS	Rem209	D20	22.3	Remington R12L	1 1/8 oz.	492	10100	1250	Fold
150629-6720	12	2.75	Remington STS	Rem209	D20	20.5	Remington RXP12	1 1/8 oz.	492	9700	1200	Fold
150629-6711	12	2.75	Remington STS	Rem209	D20	20.6	Winchester WAA12	1 1/8 oz.	492	9500	1200	Fold
150630-6728	12	2.75	Winchester AA HS	Win209	D20	19.6	Federal 12S3	1 1/8 oz.	492	10100	1200	Fold
150629-6710	12	2.75	Winchester AA HS	Win209	D20	20.2	Winchester WAA12	1 1/8 oz.	492	9700	1200	Fold
150629-6709	12	2.75	Winchester AA HS	Win209	D20	21.0	Winchester WAA12	1 1/8 oz.	492	10500	1235	Fold
150709-6828	12	2.75	Winchester AA HS	Win209	D20	21.2	Winchester WAA12	1 1/8 oz.	492	10800	1250	Fold

**WARNING: BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".**

Load ID	Ga.	Length	Hull	Primer	Powder	Grns.	Wad	Shot (oz.)	Shot (grns.)	PSI	FPS	Crimp
<b>12-Gauge • 2¾" Length • 206V Powder • Lead Shot • Fold Crimp</b>												
150803-7015	12	2.75	Remington STS	Rem209	206V	18.5	Remington TGT12	1 oz.	437	8500	1200	Fold
150803-7021	12	2.75	Winchester AA HS	Win209	206V	19.5	Winchester WAA12SL	1 oz.	437	8900	1225	Fold

**WARNING: BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".**



# Component Abbreviation Chart

+ .....	load tested w / specified shot size and larger .....	na	DX20 .....	Dispensor-X wad, 20ga .....	#072DX20	MYSLIM .....	Slim Mylar™ wraps .....	#MYSLIM
- .....	load tested w / specified shot size and smaller .....	na	E3 .....	Alliant E-3 powder .....	#018333*	N209 .....	NobelSport 209 primer .....	#N209
14C*	¼" card wad (*relevant gauge) .....	#14C**	EML .....	European Mighty Lite, 12ga .....	#072EML	N7*	Mini Nitro Card (*relevant gauge) .....	#N7**
14CW*	¼" cork wad (*relevant gauge) .....	#12224**	Extra-Lite .....	Alliant Extra-Lite powder .....	#018052*	NC*	Maxi Nitro Card (*relevant gauge) .....	#NC**
14FW*	¼" felt wad (*relevant gauge) .....	#12214**	FC*	½" fiber card (*relevant gauge) .....	#FC**	Nitro 100 .....	Accurate/Scot Nitro 100 powder .....	#019010*
18CW*	½" cork wad (*relevant gauge) .....	#12228**	Fed209A .....	Federal 209A primer .....	#209A	NP*	Nickel Plated lead shot (*indicate shot size) .....	#NP**
18FW*	½" felt wad (*relevant gauge) .....	#12218**	Federal .....	Federal hull .....	#062***	OB*	Obturator gas seal (*relevant gauge) .....	#020**
38C*	¾" card wad (*relevant gauge) .....	#38C**	Federal (paper) .....	Federal paper hull .....	#FPAP121	OS*	Overshot Card (*relevant gauge) .....	#OS*
38W*	¾" waxed card wad (*relevant gauge) .....	#38W**	Federal FB .....	Federal hull (fiber basewad) .....	na	OSBP12 .....	Overshot Card w/ BPI Logo, 12ga .....	#OSBP12
700X .....	IMR 700-X powder .....	#090700*	Federal PB .....	Federal hull (plastic basewad) .....	na	PB .....	IMR PB powder .....	#090900*
800X .....	IMR 800-X powder .....	#090800*	Fio616 .....	Fiocchi 616 primer .....	#F616	PISK .....	Piston Skeet wad, 12ga .....	#072PISK
AA Sup. Handicap .....	Winchester Super Handicap powder .....	#235SH0*	Fiocchi .....	Fiocchi hull .....	#064****	PISK-LITE .....	Piston Skeet Lite wad, 12ga .....	#072PISKL
Accurate 4100 .....	Accurate 4100 powder .....	na	Fiocchi (paper) .....	Fiocchi paper hull .....	na	PLC*	½" pre-lubed fiber card (*relevant gauge) .....	#PLC**
Alliant 20/28 .....	Alliant 20/28 powder .....	#0182028*	FS12 .....	Flex Seal cushioned gas seal, 12ga .....	#072FS12	Pro Reach .....	Alliant Pro Reach powder .....	#018PRO*
Alliant 2400 .....	Alliant 2400 powder .....	#0182400	g. ....	grams (28.35 grams = 1 ounce) .....	na	Promo .....	Alliant Promo powder .....	#0180908
Alliant 410 .....	Alliant 410 powder .....	#018410*	grns. ....	grains (437.5 grains = 1 ounce) .....	na	PT1044 .....	PT1044 wad, 10ga .....	#222PT1044
American Select .....	Alliant American Select powder .....	#018040*	Green Dot .....	Alliant Green Dot powder .....	#018030*	PT1205 .....	PT1205 wad, 12ga .....	#222PT1205
Blue Dot .....	Alliant Blue Dot powder .....	#018080*	GS2 .....	GS2 Air Wedge gas seal, 12ga .....	#3221222	PT1210 .....	PT1210 wad, 12ga .....	#222PT1210
BP12 .....	BP12 wad, 12ga .....	#3221203	H-110 .....	Hodgdon H-110 powder .....	#081110*	PT1215 .....	PT1215 wad, 12ga .....	#222PT1215
BPD10 .....	BPD10 wad, 10ga .....	#3221000	HCD18 .....	Helix Cushion Driver 18 wad, 12ga .....	#020HCD18	PT1220 .....	PT1220 wad, 12ga .....	#222PT1220
BPD10T .....	BPD10-Tuff steel shot wad, 10ga .....	#3221001	HCD21 .....	Helix Cushion Driver 21 wad, 12ga .....	#020HCD21	PT1232 .....	PT1232 wad, 12ga .....	#222PT1232
BPGS .....	Ballistic Products Gas Seal .....	#3221200	HCD24 .....	Helix Cushion Driver 24 wad, 12ga .....	#020HCD24	PT1251 .....	PT1251 wad, 12ga .....	#222PT1251
Buffer .....	Ballistic Products shot buffer .....	see notes	HCW*	½" waxed hard card wad (*relevant gauge) .....	#HCW**	PT1253 .....	PT1253 wad, 12ga .....	#222PT1253
Bullseye .....	Alliant Bullseye powder .....	#018010*	Herco .....	Alliant Herco powder .....	#018050*	PT1260 .....	PT1260 wad, 12ga .....	#222PT1260
BW12 .....	Brush wad (Original), 12ga .....	#072BW12	Hevi-Shot™ .....	Hevi-Shot™ non-toxic shot .....	#05500**	PT1265 .....	PT1265 wad, 12ga .....	#222PT1265
BW20 .....	Brush wad, 20ga .....	#072BW20	HS-6 .....	Hodgdon HS-6 powder .....	#0810601	PT1680 .....	PT1680 wad, 16ga .....	#222PT1680
BW24 .....	Brush wad, 24ga .....	#072BW24	HV28 .....	HV28 large-capacity wad, 28ga .....	#072HV28	PT20GS .....	PT20GS gas seal, 20ga .....	#222PT20GS
BW28 .....	Brush wad, 28ga .....	#072BW28	IMR 4227 .....	IMR 4227 powder .....	na	PT2090 .....	PT2090 wad, 20ga .....	#222PT2090
BW410 .....	Brush wad, .410 .....	#072BW41	International Clays .....	Hodgdon International Clays powder .....	#081020*	PT2091 .....	PT2091 wad, 20ga .....	#222PT2091
BX410 .....	BX410 wad, .410 .....	#072BX410	ITX Original-10™ .....	ITX Original-10™ non-toxic shot .....	#TX**	PT2092 .....	PT2092 wad, 20ga .....	#222PT2092
CCI209 .....	CCI 209 primer .....	#CCI	ITX Extreme-13™ .....	ITX Extreme Turkey Trauma-13™ non-toxic shot #TXTT**		PT2093 .....	PT2093 wad, 20ga .....	#222PT2093
CCI209M .....	CCI 209 magnum primer .....	#CCIM	L078 .....	Lightning 7/8 oz. wad, 12ga .....	#020L078	PT2094 .....	PT2094 wad, 20ga .....	#222PT2094
Ched209 .....	Cheddite 209 primer .....	#Ched209	LB12 .....	Light Brush wad, 12ga .....	#072LB12	PT2895 .....	PT2895 wad, 28ga .....	#222PT2895
Cheddite .....	Cheddite/MultiHull hull .....	#139****	LBC30 .....	30mm Limited Bore Contact wad, 12ga .....	#0729030	Ranger Plus .....	Ranger Plus wad, 12ga .....	#3221202
Cheddite (paper) .....	Cheddite/MultiHull paper hull .....	#13912PAP	LBC43 .....	43mm Limited Bore Contact wad, 12ga .....	#0729043	Red Dot .....	Alliant Red Dot powder .....	#018020*
Clay Dot .....	Alliant Clay Dot powder .....	#018CDO*	LBC50 .....	50mm Limited Bore Contact wad, 12ga .....	#0729050	Rem209 .....	Remington 209 STS primer .....	#R209
Clays .....	Hodgdon Clays powder .....	#081010*	Lil' Gun .....	Hodgdon Lil' Gun powder .....	#081120*	Rem. Nitro Mag .....	Remington Nitro Mag hull .....	na
CLBC .....	Cushioned LBC wad, 12ga .....	#0729012	Longshot .....	Hodgdon Longshot powder .....	#081050*	Rem. Nitro/STL .....	Remington Nitro/STL .....	na
COS12 .....	Clear Overshot Disc, 12ga .....	#COS12	MG410 .....	MG410 wad, .410 .....	#072MG410	Rem. Premier .....	Remington Premier hull .....	na
CS12 .....	Competition Special wad, 12ga .....	#072CS12	MG42 .....	MG42 Wad, 12ga .....	#072MG42	Remington .....	Remington hull .....	na
CS12S .....	Competition Special Short wad, 12ga .....	#072CS12S	Mica .....	Mica Wad Slick Lubricant .....	#MICA	Remington SP .....	Remington SP hull .....	na
CSD020 .....	Cushioned Shot Driver, 20ga .....	#0207020	MM1035 .....	Multi-Metal 3 ½" wad, 10ga .....	#3221035	Remington STS .....	Remington STS hull .....	na
CSD078 .....	7/8 oz. Cushioned Shot Driver, 12ga .....	#0207078	MM1230 .....	Multi-Metal 3" wad, 12ga .....	#3221230	Remington UB .....	Remington UB hull .....	na
CSD100 .....	1 oz. Cushioned Shot Driver, 12ga .....	#0207100	MM1235 .....	Multi-Metal 3 ½" wad, 12ga .....	#3221235	REX24 .....	Rex 24-Gram wad, 12ga .....	#072REX
CSD118 .....	1 ½ oz. Cushioned Shot Driver, 12ga .....	#0207118	MM1275 .....	Multi-Metal 2 ¾" wad, 12ga .....	#3221275	Rio209 .....	Rio 209 primer .....	#Rio209
CSD114 .....	1 ¼ oz. Cushioned Shot Driver, 12ga .....	#0207114	MY1620 .....	16-20ga Mylar™ wraps .....	#MY1620	Rio .....	Rio hull .....	#RIO*****
DX12 .....	Dispensor-X wad, 12ga .....	#072DX12	MYTHICK .....	Thick Mylar™ wraps .....	#MYTHICK	Rio (Eley) .....	Rio/Eley 2 ½" hull .....	#RIO1265
DX12S .....	Dispensor-X Short wad, 12ga .....	#072DX12S	MYTHIN .....	Thin Mylar™ wraps .....	#MYTHIN	SF12 .....	Spitfire wad, 12ga .....	#072SF12

# Component Abbreviation Chart

SG16.....	Sporting 16 wad, 16ga.....	#072SG16
SG16S.....	Sporting 16 Short wad.....	#072SG16S
SG20L.....	Sporting 20 Long wad, 20ga.....	#072SG20L
SG20M.....	Sporting 20 Mid wad, 20ga.....	#072SG20M
SG20S.....	Sporting 20 Short wad, 20ga.....	#072SG20S
SG24.....	Sporting 24 wad, 24ga.....	#072SG24
SG28.....	Original Sporting 28 wad, 28ga.....	#072SG28
SG28-II.....	Sporting 28 II wad, 28ga.....	#072SG28S
SG32.....	Sporting 32 wad, 32ga.....	#072SG32
SG410.....	Sporting .410 wad, .410.....	#072SG410
Solo 1000.....	Accurate/Scot Solo-1000 powder.....	#019100*
SPARK.....	Super Spark wad, 12ga.....	#072SPK
SR-4756.....	IMR SR-4756 powder.....	#090475*
SR-7625.....	IMR SR-7625 powder.....	#090762*
SRC.....	Short Range Crusher wad, 12ga.....	#072SRC
SSW.....	Short Shell wad, 12ga.....	#072SSW
Steel™.....	Alliant Steel powder.....	#018070*
Stretch.....	Stretch wad, .410.....	#0724104
Stump.....	Stump wad, .410.....	#0724105
TC20.....	The Commander, 20ga.....	#020TC20
Teflon.....	Teflon™ Wrap.....	#TEFLON
Titegroup.....	Hodgdon Titegroup powder.....	na
Titewad.....	Hodgdon Titewad powder.....	#081040*
TPS1035.....	TPS 3 ½" wad, 10ga.....	#3227704
TPS1230.....	TPS 3" wad, 12ga.....	#3227702
TPS1235.....	TPS 3 ½" wad, 12ga.....	#3227703
TPS1275.....	TPS 2 ¾" wad, 12ga.....	#3227701
TPS28.....	TPS shot wad, 28ga.....	#3222800
TPS35mm.....	TPS 35mm wad, 12ga.....	#3227735
TPS41mm.....	TPS 41mm wad, 12ga.....	#3227741
TPS410.....	TPS shot wad, .410.....	#3224100
TR12.....	Turkey Ranger wad, 12ga.....	#3221201
trim.....	trim component by specified amt.....	na
TS12-100.....	Thug Slug, 12ga 1 oz.....	#1261228
TS12-118.....	Thug Slug, 12ga 1-1/8 oz.....	#1261232
TS20.....	Thug Slug, 20ga 7/8 oz.....	#1262025
TS410.....	Thug Slug, .410 8 gram.....	#1264100
TY34.....	Tyvek™ ¾" 10ga patch.....	#TY34
TY58.....	Tyvek™ ½" 12ga patch.....	#TY58
Unique.....	Alliant Unique powder.....	#018060*
Universal Clays.....	Hodgdon Universal Clays powder.....	#081030*
Win209.....	Winchester 209 primer.....	#W209
Win AA (original).....	Win AA old style, comp-formed hull.....	na
Win AA HS.....	Win AA "High Strength" hull.....	na
Win. AA Lite.....	Winchester AA Lite powder.....	#235AA0*
Win. Universal.....	Winchester Universal (polyformed) hull.....	na
Winchester 296.....	Winchester 296 powder.....	na
Winchester Poly.....	Winchester Polyformed hull.....	na

WSF.....	Winchester Super Field powder.....	#235030*
WST.....	Winchester Super Target powder.....	#235020*
X10X.....	X10X gas seal.....	#072X10X
X12X.....	X12X gas seal.....	#322X12X
X Stream Spreader.....	X-Stream Spreader insert.....	#3220001
Z16.....	Field Commander, 16ga.....	#020Z16
Z21.....	Trap Commander, 12ga.....	#020Z21

**WARNING: BALLISTIC PRODUCTS, INC., GRAF & SONS, INC., AND NOBELSPORT DISCLAIM ALL POSSIBLE LIABILITY FOR DAMAGES, INCLUDING ACTUAL, INCIDENTAL, AND CONSEQUENTIAL, RESULTING FROM USAGE OF INFORMATION OR ADVICE CONTAINED IN THIS AND OTHER PUBLICATIONS, LABELS, CATALOGS, TESTING REPORTS AND BOOKLETS. USE DATA AND ADVICE AT YOUR OWN RISK AND WITH CAUTION. WHERE DATA LIST SPECIFIC COMPONENTS, NO CHANGES OR SUBSTITUTIONS FOR THESE COMPONENTS CAN BE MADE WITHOUT RISKING SIGNIFICANT CHANGES IN THE LEVEL OF BALLISTIC PERFORMANCE AND/OR SAFETY OF THE LOADS SHOWN. FOLLOW LOADING DATA EXACTLY AND DO NOT SUBSTITUTE COMPONENTS. WE MAKE NO WARRANTIES EXPRESS OR IMPLIED, LIMITED OR FULL, AND WE DISCLAIM ANY SUCH WARRANTIES. FAILURE TO COMPLY WITH THESE AND OTHER STANDARDS OF RELOADING MAY RESULT IN ACCIDENTS WITH SERIOUS INJURY AND/OR DEATH TO THE SHOOTER AND/OR BYSTANDERS. KEEP OUT OF REACH OF CHILDREN. WE DISCLAIM ANY AND ALL LIABILITY FOR DAMAGE OR INJURY THAT MAY RESULT FROM YOUR HANDLOADED SHOTSHELLS AS WE HAVE NO CONTROL OVER ANY OF THE NUMEROUS POSSIBLE VARIATIONS IN COMPONENT PRODUCTION LOTS, IN TOOL AND DIE DIMENSIONS, IN YOUR LOADING PRACTICES AND PROCEDURES. THE INDIVIDUAL RELOADER IS SOLELY RESPONSIBLE FOR ANY VARIATION THAT MAY BE INCURRED BY ASSEMBLED AMMUNITION. TO AVOID SERIOUS INJURY OR DEATH TO SHOOTER AND BYSTANDERS, THIS PRODUCT SHOULD ONLY BE USED IN GUNSMITH-INSPECTED GUNS DESIGNED FOR MODERN SHOTSHELLS. IF GUN FAILS TO FIRE, KEEP POINTED IN SAFE DIRECTION FOR 30 SECONDS, THEN UNLOAD CAREFULLY. WEAR EYE AND EAR PROTECTION AND OBSERVE PROPER GUN SAFETY AT ALL TIMES. ALL PRODUCTS SOLD "AS IS".**



## Ballistic Laboratory Notes:

- The "Load" column will often indicate a specific shot size. This is a laboratory notation that tells you what shot size was actually used in the loads for the ballistic lab tests. You are not confined by this information to use that specific shot size. This information is provided only as a guideline for shot-fit and (potential) filler wad purposes; it tells the loader what to expect.
- **All unslit wads were slit prior to loading.** Number of slits may be varied to achieve desired effect. Slit 2 to 3 times for a tighter pattern and 5 or 6 for a more open pattern. Length of slits may also be altered. However, slits at least ¾ the length of the wad are recommended for complete pellet release.
- Mica Wad Slick™ may be used in all loads prior to loading. Mica is a dry lubricant that eases insertion of wads into hulls, especially once-fired. Also provides a slight boost in velocity.
- Original Shot Buffer was used in lead loads. Mix #47 Buffer was used in steel shot and Hevi-Shot loads and BSB/ITX Buffer was used in ITX™ loads. Do not add buffer unless indicated by data.
- All powder charges listed in data are in grains and not grams. Buffer is listed in grains as well.
- Mylar™ wrap is coiled prior to inserting into the hull or shotcup. Cut Mylar™ wrap in half in instances where "½" is designated before the Mylar™ that is being used. Teflon™ wrap is also coiled and inserted into the hull prior to dropping the shot.
- + / - next to shot size indicates load was tested with the listed size and larger (+) or smaller (-). A dash (-) between shot sizes indicates load was tested with all sizes between the two listed.